



ARTIZE




A promise of impeccable craftsmanship


Artize, the luxury brand of the Jaquar Group, the world's fastest growing bathroom solutions company, has been specially created for those who aspire for the best in their bath spaces. The brand aims at excellence that surpasses global standards of quality and design.

Artize pays tribute to fine traditions of exquisite craftsmanship by bringing together the finest in design and technology, and using its own manufacturing expertise to craft masterpieces for the ultimate bath space.









### Where form enhances functionality

Luxurious bathrooms focus on aesthetics, ergonomics and the interface between people and technology.

Artize sees the immense potential for beauty in how water is used in a bathroom. Beauty that's inspired by Nature, by water's flowing lines, its soft caress on our skin, its rejuvenating effect on our senses. It is this inspiration that leads us to create bathroom indulgences like no other:

The Artize range comprises of a truly aspirational collection of Faucets, Sanitaryware, and Wellness products. Each a seamless blend of functionality and beauty. Each an iconic concept around which an entire living space could be designed.







### Winning designs, worldwide

Artize products are conceived by globally renowned designers who use Artize's 'craftsmanship' approach to create objects of unsurpassed aesthetic and functional qualities. This thinking has resulted in many achievements for the Artize brand, including winning the prestigious Red Dot, Good Design and iF design awards, among others.

















# Quality for the connoisseur

Artize distinguishes itself as a brand by the meticulous craftsmanship of its offerings. Craftsmanship that is visible in the minute details in each one of its wide range of faucets, showers, ceramics and wellness products.

To achieve the high standards it sets for itself – to consistently surpass quality expectations worldwide – Artize uses some of the most advanced technologies available. From robotic grinding and polishing to colour finishes. Backed up by the latest testing and quality control processes to ensure unfailing reliability. And unmatched customer service to provide a lifetime of bathing pleasure.





#### ARTIZE SIGNATURE COLLECTION

ShowerTronic iV6 / iV2 <sup>26</sup> / TumbleRain <sup>32</sup> / Tailwater: Faucets <sup>38</sup> Ceramics <sup>42</sup>

Tiaara: Faucets <sup>48</sup>, Ceramics <sup>54</sup> / Linea: Faucets <sup>58</sup>, Ceramics <sup>64</sup> / Confluence <sup>68</sup>

**Lexa:** Faucets <sup>74</sup>, Ceramics <sup>82</sup> / **Fleur:** Faucets <sup>86</sup>

### ARTIZE COLLECTION

Rainjoy<sup>+ 98</sup> / Rainjoy <sup>114</sup> / Thermatik <sup>124</sup> / Flo2 : Kitchen Faucets <sup>130</sup>

**Esplenda:** Faucets <sup>134</sup> Ceramics <sup>140</sup> / **Angelo:** <sup>144</sup> / **Leone:** Faucets <sup>150</sup>, Ceramics <sup>158</sup>

**Travina:** Faucets <sup>162</sup>, Ceramics <sup>170</sup> / **Le Blanc:** Faucets <sup>174</sup>, Ceramics <sup>186</sup>

**Cellini:** Faucets <sup>190</sup>, Ceramics <sup>198</sup> / **Kavalier:** Faucets <sup>202</sup> / **Kavalier J** / Faucets <sup>212</sup>, Ceramics <sup>220</sup>

**Xquisite:** Faucets <sup>224</sup>, Ceramics <sup>234</sup> / **Signac:** Faucets <sup>238</sup>, Ceramics <sup>250</sup> / **Bathtub Spouts** <sup>256</sup>

Accessories: Quadra <sup>268</sup>, Onyx <sup>276</sup>, Duos <sup>284</sup> / Artize Designer <sup>290</sup> / Wellness <sup>298</sup>

# Luxury created responsibly

In a world where water is increasingly becoming a precious resource, Artize is acutely aware of its responsibility to offer a luxurious bathroom experience that is also delivered with sensitivity towards the environment and minimised wastage of water.

Apart from product specific measures that reduce water consumption without sacrificing the sense of luxury for the skin and the senses, Artize takes a holistic approach to planet empathy. Its manufacturing plant has Zero Discharge operations, practices extensive recycling of materials, and the brand leads the way in combining indulgence with responsibility.





### Colour Finishes

If you wish to order a different colour finish of this range, just replace the colour code in the middle of the product code with the colour code of your choice from the ones shown above. For instance, in the product code OSA-CHR-70001SH, 'CHR' connotes Chrome finish. If you wish to order the same product in Gold Dust finish, replace 'CHR' with 'GDS'. Thus the product code will be OSA-GDS-70001SH.



ABR: (Antique Bronze) | ACR: (Antique Copper) | BCH: (Black Chrome) | BLM: (Black Matt Finish)
GDS: (Gold Dust) | GLD: (Full Gold) | GRF: (Graphite) | SSF: (Stainless Steel Finish) | WHM: (White Matt)

Note: The finishes depicted here are only indicative and may differ from that on the actual product.




























### Signature Collection

Artize's Signature Collection epitomises bathroom luxury like nothing else does. With international award-winning creations, from renowned designers, that turn regular bathroom fixtures into stunning pieces of engineered art. Elevating mundane usage into memorable experiences of water.



## ShowerTronic iV6 / iV2

Artize ShowerTronic iV6 is a touch based, intelligent water mixer system, which automatically maintains the water temperature and flow rate during showering. It comes with a host of features designed to deliver the ultimate showering experience.

ShowerTronic iV2 has 2 electronic valves to control the flow of hot and cold water to a choice of 3 different water outlets.



## The Advantage of Showertronic's Technology

For delivering water at the desired flow rate and temperature, Artize ShowerTronic offers several key advantages over other systems - advantages that come from being an Intelligent Valve Sensor System.



No cartridges: no small electric motors or other similar parts that need to be recalibrated or replaced. It runs on intelligent software.



Handles differential pressures: even up to 5 Bar, between hot and cold water inputs.



High-precision sensors: to check water flow rate and temperature every 50 milliseconds for instant control and cut-off, if require



Safety: low voltage (12V DC) compliance for wet areas.



Durability: great for continuous use thanks to the absence of friction, IP 54 components, and piezo-electric technology – which makes it TECHNOLOGY India's first reliable, fully electronic thermostat.



#### Touchpad

An electronic touch interface based on piezo technology, the touchpad consists of different laminated layers, making it extremely robust, resistant and long-lasting with a high level of user-friendliness. The interface controls the shower flow rate and temperature, enables the water outputs desired by the user and executes the CPU's smart programs such as the start-up program, clean-up program, thermal disinfection program or warm up program.



#### CPU iV6 / 6 outs

Smart electronic device with digital reading and accurate, stable, thermostatic regulation of water temperature and flow rate at the consumption terminals. Designed to be integrated in showers, columns, cabins or bath areas.



#### Power Supply System

The system comprises of 12 V DC power supply, a battery backup in case of lack of network voltage and a voltage peaks protection. Batteries are charged with the usual power supply, ensuring that they are always correctly loaded.




#### STC-CHR-70000

#### Showertronic iV6 System

Thermostatic Mixer - CPU iV6/6 OUT • Digital Interface – touchpad • Power Supply System • touchpad Cable - 3meters • Braided Hoses - 06 Nos • Y-Strainer 20mm - 02 Nos • Control Cock 20mm - 02 Nos • N.R.V. Set - 04 Nos • Filter - 08 Nos • SS Installation Box - 01 Nos






### A SHOWERTRONIC iV2

#### STC-CHR-70683

#### Showertronic -iV2 System

Thermostatic Mixer -CPU iV2/3 OUT • Digital Interface – touchpad • Power Supply System • touchpad Cable - 3meters • Braided Hoses - 05 Nos • Y-Strainer 20mm - 02 Nos, Control Cock 20mm - 02 Nos • N.R.V. Set - 02 Nos • Filter - 04 Nos • SS Installation Box - 01 Nos





## TumbleRain

One of the most innovative bathing experiences ever created: a shower that takes you back to a simpler time, to the fond memories of being inundated with a wave of water as the thrilling climax of the bathtime ritual.






#### OSA-70061

Tumble RainShower flow rate: 21.84 I/min\*







#### Rediscover the thrill of bucket baths!

TumbleRain has been carefully engineered to automate the entire effort involved in bucket baths. Simply set or mix the water temperature to your preference and use the diverter's on and off controls. The high-mounted 'bucket' fills automatically every few seconds and empties itself dramatically over you.



#### Technology brings back a simple joy

- Automated Tumbling
- No Water Deposit
- No Scaling
- No Bacteria
- A Green Product

34

35 l

### Tailwater, a design classic by Danelon Meroni

"Inspiration from the natural world embodied in a beautifully engineered piece of industrial design."



# Tailwater | Faucets








#### TWR-75011B

Basin Mixer without Popup waste system, with 450mm Long Braided Hoses





# Tailwater | Ceramics

A signature product like the Tailwater faucet, calls for ceramics that do justice to its iconic design. The Tailwater basin, with its combination of style and function achieves that in its own distinctive style as a perfect partner for the faucet.






#### TWS-WHT-75931

Table Top Basin,

Size: 695 × 480 × 135 mm







### Tiaara, designed by Michael Foley

"Tiaara is a perfect balance of handcrafted and machine made processes. Its segmented assemblies allow for ease of manufacture and access to refined hand polishing of every surface."

# Tiaara | Faucets

Tiaara is like jewellery for the bathroom. A unique combination of effortless functionality within a stunning form. Designed like a piece of jewellery with echoing ovals, Tiaara is a faucet that brings a unique sculptural quality to a commonplace function and elevates its usage into a memorable experience.














#### TIA-73011B

Basin Mixer without Popup Waste System with 450mm Long Braided Hoses








#### TIA-3681N

Concealed thermostat bath & shower mixer




Concealed Thermostat with control unit for 3-Outlets and integrated Shut-off valve












#### TIA-73685N

Concealed Thermostat with control unit for 4-Outlets and integrated Shut-off valve






#### TIA-73687N

Concealed Thermostat with control unit for 5-Outlets and integrated Shut-off valve








#### TIA-73859SH

Tiaara Rainjoy Shower  $600 \times 350$ mm AISI 304 stainless steel in chrome finish with RGB LED lights remote control & without installation kit for false ceiling • Chromotherapy (RGB): LED  $\times$  0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz • 2-functions • Rain • 4 X Mist

#### TIA-73859BR

False ceiling installation kit for Tiaara rainjoy Shower 600 x 350mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with TIA-73859SH)





# Tiaara | Ceramics

A perfect complement to Tiaara faucets, the coordinated basin and ceramics of the Tiaara range set the stage to spotlight the award-winning, show-stopping aesthetics of Tiaara's jewellery-inspired form.







#### TIS-WHT-73931

Table Top Basin

Size: 715 × 465 × 150 mm







# Linea | Faucets

Straight, clean lines. Contemporary rectangular styling that has a graceful and swift movement.




Parichay Mehra
Spearheading the Jaquar Group design team

"Linea is the epitome of minimalism. It eliminates every inessential layer between the user and the experience of the product."














LIN-71011B

Basin Mixer without popup waste system with 450mm long braided hoses


LIN-71195

Bath Filler












#### LIN-71681N

Concealed Thermostat bath & Shower mixer


#### LIN-71683N

Concealed Thermostat with control unit for 3 outlets and integrated shut-off valve












#### LIN-71685N

Concealed Thermostat with control unit for 4 outlets and integrated shut-off valve




Concealed Thermostat with control unit for 5 outlets and integrated shut-off valve













#### LIN-71065

Concealed Diverter for bath and shower with built-in non-return valves







Straight, clean lines. Contemporary rectangular styling that has a graceful look







#### LIS-WHT-71931

Table Top Basin, SIZE: 640 × 460 × 160 mm










#### LIS-WHT-71951

Rimless Wall Hung WC with UF soft close seat cover, Hinges , Accessories set, Size:  $370 \times 540 \times 350$  mm









# Confluence

Quiet and harmony envelop the space aroundConfluence, a biomorphic design, and zen mystery of natural inspiration. Like a reed of bamboo that channels water from rivers and brooks to pour it into a gentle, private stream, it calms and relaxes.







"Biomorphic design that delivers a Zen-like waterfall flow into your palm: a perfectly serene stream from the half-cut-bamboo style faucet."

Parichay Mehra
Spearheading the Jaquar Group design tea




# A CONFLUENCE

CNF-69011B Single Lever Basin Mixer without Popup Waste System with 450mm Long Braided Hoses




Single LeverTall Boy without Popup Waste System with 600mm Long Braided Hoses









# A CONFLUENCE

# CNF-69233


Joystick Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body)


# CNF-69859

Confluence Overhead shower with Wall Flange









# A CONFLUENCE


# CNF-69065K

Exposed part kit of joystick concealed diverter consisting of built-in bath filler with adjustable wall flange (suitable for item CNF-69065C)


# CNF-69065C

Concealed Body of Joystick Diverter for Bath & Shower










# Lexa | Faucets

Tapered angles, and graceful curves. Geometric precision, flowing into a chiselled edge. Lexa is a beautiful contradiction of sharp, modern lines, and classic arches. Its joystick rotates 360° at the touch of a fingertip, making it a delight to use.






# LEX-67011B

Joystick Basin Mixer without Popup Waste System with 450mm Long Braided Hoses flow rate: 10.42 I/min\*






# LEX-67023B

Joystick Extended Basin Mixer without Popup Waste System with 450mm Long Braided Hoses flow rate: 13.09 I/min\*








# LEX-67009B

Joystick Tall Boy with 100mm Extension Body Fixed Spout without Popup Waste System with 600mm Long Braided Hoses flow rate: 14.37 I/min\*




Joystick Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body)














# LEX-67187

2 Hole Deck Mounted Joystick Basin Mixer without Popup Waste System






# LEX-67075K

Exposed Part Kit of Joystick Concealed Divertor Consisting of built-in Bath Filler with Cascade Flow in Adjustable Wall Flange (Suitable for Item LEX-67075C)








# LEX-67283K

Exposed Part Kit of Joystick 3 in 1 Concealed Divertor Consisting of built-in Bath Filler with Cascade Flow in Adjustable Wall Flange with Button Attachment on Spout for Diversion to Hand Shower (Suitable for Item LEX-67075C)


# LEX-67075C

Concealed Body of Joystick Divertor for Bath & Shower flow rate: 22.80 I/min\*












# LEX-67859

Lexa Cascade Flow Overhead Shower with Wall Flange flow rate: 47.00 I/min\*





\*at 3 bar pressure

# Lexa | Ceramics

A perfect consort to the distinctive geometric precision and curves of the Lexa faucet, this basin blends the timeless with the contemporary in its carefully crafted lines.






LXS-WHT-67951

Wall Hung WC with UF soft close seat cover, Hinges, Accessories set, Size: 370 x 520 x 365 mm




LXS-WHT-67801 Wall Hung Basin with Fixing Accessories Size: 530 × 450 × 160 mm













LXS-WHT-67901

Table Top Basin,

Size:  $580 \times 420 \times 160 \text{ mm}$ 







# Fleur | Faucets

The tall, graceful silhouette of Fleur is inspired by a vase of flowers. Flowing lines, and a sophisticated, reed-like form make it an enchanting design. Only fifty such are manufactured every year.






### FLE-63189


3-Hole Basin Mixer without Popup Waste System flow rate: 6.68 l/min\*





# FLE-63195

3-Hole Tall Boy Basin Mixer without Popup Waste System






# FLE-63433

Two Concealed Stop Cock with Basin Spout (Composite One Piece Body)


# FLE-63427

4-Way Concealed Divertor Set With Hot & Cold Concealed Stop Cocks (Composite One Piece Body) flow rate: 28.11 I/min\*










- 18



# FLE-63287


5-Hole Bath Tub Mixer with Hot & Cold Control Cocks Spout, Divertor & Hand shower with 8mm dia. & 1.5M Flexible Tube flow rate: 14.60 I/min\*





\*at 3 bar pressure

# **Artize Collection**

















































Raising the bar of opulent bathrooms, the Artize brand offers unparalleled elegance and style in a wide range of timeless designs for faucets, ceramics, and even accessories, that can inspire the aesthetics of not just the bathroom, but the entire home space.

# Rainjoy+

# Oval | Square

Featuring clean, aesthetic lines and an unobtrusive design, both models of Rainjoy<sup>+</sup> Shower use a larger-than-life size to envelop you with sensations that aim to relax the muscles, restore calmness and repair the damage caused by daily life's stresses and strains. And leave you feeling revived, recharged and rejuvenated.

- Extra large, concealed, overhead showers
- A choice of showering modes like Rain, Intense, Mist and even Massage







18 Tevive + reguveriace




# Step into the rainjoy+ shower. Discover a spa.


The ultimate in showering luxury, rainjoy+ from Artize is the finest in extra large, concealed, overhead showers. Offering a choice of showering modes like Rain, Intense, Mist and even Massage, the rainjoy+ showering experience is a complete body bath that envelops the senses with an array of soothing sensations inspired by nature's brilliant, rejuvenating ways with water.















rainjoy+ also features Chromotherapy lights controlled by a waterproof, cordless remote to let you pick a relaxing colour or switch to an energising, pulsating, multi-colour experience.



#### OSA-70023

"Rainjoy+ Shower 704X434mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & with installation kit for false ceiling


- Chromotherapy (RGB): LED × 0.23W with i2V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 4-functions:
- Rain Intense Bold Massage 2 X Mist "

#### OSA-70023iV6

"Rainjoy+ Shower 704X434mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & with installation kit for false ceiling

- Chromo therapy (RGB): LED x 0.23W with i2V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 4-functions:
- Rain Intense Bold Massage 2X Mist (Compatible with iV6)"





A RAINJOY+

#### OSA-70021

"Rainjoy+ Shower 500X500mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & with installation kit for false ceiling

- Chromo therapy (RGB): LED x 0.23W with i2V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 4-functions:
- Rain Intense Bold Massage 4 X Mist"

flow rate: Rain-51.13, Intense-25.62, Bold Massage-17.68 & 4x Mist-5.30 I/min\*


#### OSA-70021iV6

"Rainjoy+ Shower 500X500mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & with installation kit for false ceiling

- Chromotherapy (RGB): LED x 0.23W with i2V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 4-functions:
- Rain Intense Bold Massage 4X Mist (Compatible with iV6)"

flow rate: Rain-51.13, Intense-25.62, Bold Massage-17.68 & 4x Mist-5.30 1/min\*






'

<sup>\*</sup>at 3 bar pressure

# Rainjoy

The steady drumming of rain. The hypnotic rhythm of falling waterdrops. The Rainjoy shower spa blends material science, hydro-flow design, and the best aqua-pressure therapy to create a 360° water massage that envelops you in pleasure. So that when you step into the shower, you discover a spa.







# Chromotherapy

# Let healing light flood your senses.

Careful selected hues of light add a choice of calming waves and invigorating energy to help every shower work wonders with not just your mind and mood, but heal your body as well. Whether you need to relax or be energised, set an appropriate colour for your shower to inspire the body and the mind with a choice of chromatic lights.

#### Remote

Luxury is chromotherapy that you control.

# Light & Easy

Each Rainjoy shower comes with the convenience of a cordless, waterproof remote control which lets you customise your chromotherapy experience. With a simple press of a button, you can choose a relaxing colour to shower in. Or switch to an energising, pulsating, multiple colour experience. The colours also change at a speed that you control.



#### OSA-70001SH

Rainjoy Shower  $370 \times 250$ mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling 2-functions: Rain, 2X Mist

#### OSA-70001BR

False ceiling installation kit for rainjoy Shower 370X250mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70001SH)

flow rate: Rain-17.72 & Mist-1.03 I/min\*

#### OSA-700039

Rainjoy Shower 480  $\times$  330mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling 2-functions: Rain, 4 $\times$  Mist


#### OSA-70003BR


False ceiling installation kit for rainjoy Shower 480X330mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70003SH & OSA-70013SH)

#### OSA-70003SHiV6


Best fit with ShowerTronic

flow rate: Rain-17.36 & Mist- 2.11 I/min\*











#### OSA-70005SH

Rainjoy Shower 600  $\times$  472mm AISI 304 stainless steel in chrome finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED  $\times$  0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz

3-functions: Rain, Intense, 4X Mist

#### OSA-70005BR

False ceiling installation kit for rainjoy Shower 600X472mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with **OSA-70005SH, OSA-70007SH & OSA-70009SH**)

#### OSA-70005SHiV6

Best fit with ShowerTronic iV6

flow rate: Rain-31.38, Intense-9.44 & Mist-2.16 I/min\*

#### OSA-70007SH


Rainjoy Shower 600 X 472mm AISI 304 stainless steel in chrome finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED × 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz 3-functions: Rain, Intense, Water Column flow rate: Rain-32.86, Intense-10.36 & Water Column-19.68 I/min\*

#### OSA-70005BR


False ceiling installation kit for rainjoy Shower 600X472mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts

(Compatible with OSA-70005SH, OSA-70007SH & OSA-70009SH)











#### OSA-70009SH

Rainjoy Shower 600  $\times$  472mm AISI 304 stainless steel in chrome finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED  $\times$  0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz

3-functions: Rain, Intense, 2X Water Fall

flow rate: Rain-32.32, Intense-10.39 & Water Fall-38.10 I/min\*

#### OSA-70005BR

False ceiling installation kit for rainjoy Shower 600X472mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70005SH, OSA-70007SH & OSA-70009SH)

#### OSA-70013SH

Rainjoy Shower 480X330mm AISI 304 stainless steel in chrome finish without installation kit for false ceiling

2-functions: Rain. Waterfall

flow rate: Rain-16.10 & Water Fall-33.36 I/min\*


#### OSA-70003BR


False ceiling installation kit for rainjoy Shower 480X330mm consisting of 1 Bracket, 4 Anchors,


4 Stud bolts, 12 Hex nuts

(Compatible with OSA-70003SH & OSA-70013SH)











#### OSA-STL-70011SH

Rainjoy Shower 1000  $\times$  750mm AISI 304 stainless steel in polished finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED  $\times$  0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz

# 4-functions: • Rain • Intense • Water Fall • Water Col

#### OSA-STL-70011SH


False ceiling installation kit for rainjoy Shower 1000X750mm consisting of 1 Bracket, 4 Anchors,

4 Stud bolts, 12 Hex nuts

(Compatible with OSA-70011SH & OSA-70015SH)

flow rate: Rain-21.93, Intense-12.29, Water Column-23.82 & Water Fall-36.82 I/min\*





NOTE: OSA-STL-70011 & OSA-STL-70015 available in STL, BLM & WHM colour options

# OSA-STL-70015SH

Rainjoy Shower 1000X750mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & without installation kit for false ceiling. Chromotherapy (RGB): LED  $\times$  0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz

4-functions: •Rain • Intense • Waterfall • 6X Mist

#### OSA-STL-70011BR


False ceiling installation kit for rainjoy Shower 1000X750mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70011SH & OSA-70015SH)

#### OSA-STL-70015SHiV6

Best fit with ShowerTronic iV6

flow rate: Rain-37.70, Intense-16.15, Mist-3.52 & Water Fall-32.55 I/min\*





# A RAINJOY | SHOWER


#### OSA-70049

Overhead Shower 350 x 350mm Round Edge Square Head Single Flow (Body & Face Plate Stainless Steel with Chrome Plated) with Rubit Cleaning System flow rate: 41.55 l/min\*


#### OSA-70051

Overhead Shower  $400 \times 400$ mm Round Edge Square Head Single Flow (Body & Face Plate Stainless Steel with Chrome Plated) with Rubit Cleaning System flow rate: 45.75 l/min\*











121

# A RAINJOY | BODYSHOWER

#### BSA-70071

Body shower concealed type 135 x 135mm (ABS chrome plated face plate) with installation box and rubit cleaning system flow rate: Normal-10.00 l/min\*







# Thermatik

The perfect temperature. No variations, or sudden changes. Warm to the precise degree you want it to be. Thermatik controllers feature integrated shut-off valves and concealed thermostats to keep the temperature evenly perfect.

An unmatched showering experience even at low water pressure! An unbeatable combination of convenience, efficiency, safety and style, Thermatik mixers give the choice to select any design to match your bathroom design and any outlet type-be it two, three, four or five outlets, to suit your requirement.

# **Features**

# MAX Performance:

- Works efficiently even at low pressure
- No need of pressure pump

# Max Flexibility:

- Universal concealed body
- Available in 2, 3, 4, 5 Outlets

# Max Safety:

- Thermostat (adjust temperature as desired)
- Non returnable valve to prevent accidental mixing of hot & cold water
- Child Lock (no chance for rotating knob to make water uncomfortably hot/cold)
- Anti scalding feature to shut off the supply in the absence of cold water supply
- Mechanical (Non-electrical) cartridge






### THK-681N

Thermatik-R concealed thermostat bath & shower mixer flow rate: 42.58 l/min\*




Thermatik-R concealed thermostat with control unit for 3-outlets and integrated shut-off valve flow rate: 51.80 l/min\*












# THK-685N

Thermatik-R concealed thermostat with control unit for 4-outlets and integrated shut-off valve flow rate: 58.03 l/min\*




Thermatik-R concealed thermostat with control unit for 5-outlets and integrated shut-off valve flow rate: 56.74 l/min\*









# A THERMATIK


### THK-691N

Thermatik-S concealed thermostat bath & shower mixer flow rate: 42.58 l/min\*


# THK-693N

Thermatik-S concealed thermostat with control unit for 3-outlets and integrated shut-off valve flow rate: 51.80 l/min\*













# THK-695N

Thermatik-S concealed thermostat with control unit for 4-outlets and integrated shut-off valve flow rate: 58.03 l/min\*


# THK-697N

Thermatik-S concealed thermostat with control unit for 5-outlets and integrated shut-off valve flow rate: 56.74 l/min\*









\*at 3 bar pressure

# Flo2

# Kitchen Faucet

# The luxury of water that moves to your command

An ergonomic style statement with functional brilliance to match, the FLO2 Pull-down Kitchen Faucet brings perfect comfort and aesthetic elegance to the kitchen.

# **Features**

- Single hole installation
- High-arch spout offers superior clearance for filling pots and cleaning
- Compact two-function sprayhead with spray & aerated flow
- 1.75-Meter-long hose provides outstanding reach
- Sprayhead auto returning
- Easy to install



High-arc spout for superior clearance



Pull-down, two-function nozzle for spray or aerated flow








# A KITCHEN FAUCET

# AKF-77175B

Flo<sup>2</sup> Single Lever Pulldown Sink Mixer with spray & aerated flow sprayhead with 1.75M long tube & 450mm long braided hoses Aerated flow rate: 8.66 l/min\*, Spray flow rate: 8.13 l/min\*







# Esplenda | Faucets

Futuristic, round-edged shapes. A flattened tile design that is as simple as it is elegant. The bold, masculine lines of Esplenda are tempered with touches of softness. Its body is designed to conceal the operating levers perfectly, presenting you with a beautiful, intriguing design.






### EPD-65167B

Central Hole Basin Mixer without Popup Waste System with 450mm Long Braided Hoses flow rate: 16.91 I/min\*




Tallboy Central Hole Basin Mixer without Popup Waste System with 600mm Long Braided Hoses flow rate: 16.91 I/min\*









# A ESPLENDA


# EPD-65433

Concealed Wall Mounted Basin Mixer with Spout (Composite One Piece Body) flow rate: 14.99 I/min\*


# EPD-65129

Concealed Shower Mixer (Composite One Piece Body) for Exposed Shower Pipe 1215F flow rate: 25.71 I/min\*












# EPD-65473

Concealed Diverter for Overhead Shower & Bath Spout





\*at 3 bar pressure

## Esplenda | Ceramics

A minimalist, futuristic design, Esplenda combines simplicity and elegance with a touch of softness to its edges that conveys efficiency as well as user friendliness.






EPS-WHT-65801

Wall Hung Basin with fixing accessories Size:  $700 \times 390 \times 170$ mm


EPS-WHT-65901

Table Top Basin Size: 570 × 320 × 180 mm












### EPS-WHT-65951

Wall Hung WC with UF soft close seat cover, Hinges , Accessories set, Size:  $375 \times 530 \times 370$  mm





### **ANGELO**

The geometry and precision of Angelo make for a striking impression. Masculine, bold, and extremely contemporary, the design never fails to catch the eye. Its patented design allows the mixing of hot and cold water merely by the rotation of the body.




### A ANGELO

#### ANG-53011B

Single Lever Basin Mixer with Swivel Spout without Popup Waste System and 450mm Long Braided Hoses flow rate: 6.19 l/min\*






#### ANG-53009B

Single Lever Tall Boy with 185mm Extension Body Swivel Spout without Popup Waste System and with 600mm Long Braided Hoses flow rate: 6.70 I/min\*








#### ANG-53233N

Single Lever Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body) flow rate: 15.17 I/min\*


#### ANG-53065

Single Lever Concealed Divertor for Bath & Shower Mixer with Button Assembly on Upper Side flow rate: 25.35 I/min\*












#### ANG-53139

Single Lever Concealed Shower Mixer for connection to Overhead Shower flow rate: 23.40 I/min\*






#### ANG-53119

Single Lever Wall Mixer with Hand Shower Provision but without Hand Shower flow rate: 10.79 I/min\*








#### ANG-53277

Single Lever 3-Hole Bath Tub Mounted Mixer with Spout, Hand Shower and Divertor flow rate: 12.35 I/min\*





<sup>\*</sup>at 3 bar pressure

### Leone | Faucets

The delightful curve of Leone is an abstract, organic shape that mirrors the flow of water. Modern, yet exquisitely beautiful, this arched design is stunning in its simplicity. Its patented design allows the rotation of the body to enable the mixing of hot and cold water.






#### LEO-55011B

Single Lever Basin Mixer without Popup Waste System and 450mm Long Braided Hoses flow rate: 5.40 l/min\*






#### LEO-55009B

Single Lever Tall Boy with 85mm Extension Body without Popup Waste System and with 600mm Long Braided Hoses flow rate: 5.38 I/min\*








#### LEO-55027

Floor Mounted Single Lever Basin Mixer flow rate: 7.68 I/min\*


#### LEO-55233N

Single Lever Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body) flow rate: 7.70 I/min\*












#### LEO-55065

Single Lever Concealed Divertor for Bath & Shower Mixer with Button Assembly on Upper Side flow rate: 25.32 I/min\*




Single Lever Concealed Shower Mixer for connection to Overhead Shower flow rate: 24.07 I/min\*











#### LEO-55119


Single Lever Wall Mixer with Hand Shower Provision but without Hand Shower flow rate: 13.08 I/min\*




Single Lever 3-Hole Bath Tub Mounted Mixer with Spout, Hand Shower and Divertor flow rate: 16.83 l/min\*












LEO-55121

Floor Mounted Single Lever Bath Mixer with swivel spout & Provision for Hand Shower flow rate: 18.80 I/min\*



\*at 3 bar pressure

## Leone | Ceramic

A classic shape, and solid, contemporary form make Leone an arresting sight. Its square design is timeless, but interesting proportions of thickness, and depth make it a thoroughly modern expression.






#### LES-WHT-55955

Floor Mounted Back to Wall WC with UF soft close seat cover, Hinges and Fixing Accessories, Size:  $375 \times 510 \times 400$ , P-180mm




Floor Mounted Bidet with Fixing Accessories, Size:  $375 \times 510 \times 400 \text{ mm}$ 












#### LES-WHT-55931

Table Top Basin, Size:  $1060 \times 460 \times 140$ 


#### LES-WHT-55951

Wall Hung - WC with UF soft close seat cover, Hinges, Accessories Set, Size:  $380 \times 510 \times 355 \text{mm}$ 









### Travina | Faucets

Strong geometric lines help Travina stand head and shoulders above conventional faucet design. Precise curves make the shape an elegant, imposing form. Its patented design allows the mixing of hot and cold water merely by the rotation of the body.






#### TRA-57011B

Single Lever Basin Mixer with Swivel Spout without Popup Waste System and 450mm Long Braided Hoses flow rate: 6.89 l/min\*






#### TRA-57009B

Single Lever Tall Boy with 185mm Extension Body Swivel Spout without Popup Waste System and with 600mm Long Braided Hoses flow rate: 7.23 I/min\*







#### TRA-57027


Floor Mounted Single Lever Basin Mixer flow rate: 7.68 I/min\*



Single Lever Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body) flow rate: 15.36 I/min\*










#### TRA-57065

Single Lever Concealed Diverter for Bath & Shower Mixer with Button Assembly on Upper Side flow rate: 25.59 I/min\*




Single Lever Concealed Shower Mixer for connection to Overhead Shower flow rate: 23.44 I/min\*












#### TRA-57119

Single Lever Wall Mixer with Hand Shower Provision but without Hand Shower flow rate: 10.69 I/min\*


#### TRA-57277

Single Lever 3-Hole Bath Tub Mounted Mixer with Spout, Hand Shower and Diverter flow rate: 12.32 I/min\*












TRA-57121

Floor Mounted Single Lever Bath Mixer with swivel spout & Provision for Hand Shower flow rate: 13.99 I/min\*





## Travina | Ceramic

The drama of a single drop of water rippling outwards forever is captured in this ultra-modern design. Few can resist admiring the classic curves of a Travina basin.






TRS-WHT-57931

Table Top Basin, Size: 760 × 460 × 160 mm




Wall Hung WC with UF soft close seat cover, Hinges , Accessories Set, Size:  $360 \times 540 \times 370$  mm









## Le Blanc | Faucets

Straight lines, polished to a high shine make up the design signature of Le Blanc. Cueing precision, geometry and masculinity, the form is bold, and arresting in its presence. An asymmetrical lever adds a modern touch of imbalance.



### A LE BLANC


#### LEB-45011B

Single Lever Basin Mixer without Popup Waste System with 450mm Long Braided Hoses Also available LEB-4505 | B with Popup Waste System flow rate: 10.21 |/min\*




Single Lever Tall Boy with 165mm Extension Body Fixed Spout without Popup Waste System with 600mm Long Braided Hoses flow rate: 10.35 I/min\*










### A LE BLANC


#### LEB-45027


Floor Mounted Single Lever Basin Mixer flow rate: 8.91 I/min\*



Single Lever Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body) flow rate: 10.06 I/min\*










Single Lever Concealed Divertor for Bath & Shower Mixer with Button Assembly on Upper Side flow rate: 31.10 I/min\*




Single Lever Concealed Shower Mixer for Connection to Overhead Shower flow rate: 27.44 I/min\*









### A LE BLANC


#### LEB-45079

Single Lever High Flow Concealed Divertor for Bath & Shower


#### LEB-45119

Single Lever Wall Mixer with Provision for Hand Shower but without Hand Shower flow rate: 10.55 I/min\*













Single Lever Exposed Shower Mixer with Shower Pipe but without Overhead Shower

#### LEB-45277

Single Lever 3 Hole Bath Tub Mixer Consisting of Spout, Hand shower & Divertor flow rate: 10.81 I/min\*





### A LE BLANC

#### LEB-45121


Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower flow rate: 11.88 I/min\*

#### LEB-45213B

Single Lever 1-Hole Bidet Mixer with Popup Waste System with 375mm Long Braided Hoses flow rate: 12.37 I/min\*










Pillar Cock with Base Flange




Pillar Cock With 170mm Extension Body & Base Flange











LEB-45037


Bib Cock With Wall Flange flow rate: 10.73 I/min\*




2 Way Bib Cock With Wall Flange












Angular Stop Cock with Wall Flange


#### LEB-45083

Concealed Stop Cock with Adjustable Wall Flange, Size 15mm












#### LEB-45089

Concealed Stop Cock with Adjustable Wall Flange, Size 20mm





## Le Blanc | Ceramics

The chiselled shape and form of LeBlanc is nothing short of precious. Its subtle precision and curved edges are, both, eye-catching as well as ergonomic.






#### LBS-WHT-45951

Wall Hung - WC with UF soft close seat Cover, Hinges , Accessories Set, Size:  $360 \times 505 \times 355 \text{ mm}$ 


#### LBS-WHT-45801

Wall Hung Basin with Fixing Accesories Size: 690 × 500 × 150 mm












LBS-WHT-45803
Wall Hung Basin with Fixing Accessories
Size: 1150 × 500 × 150 mm





## Cellini | Faucets

The flat, graceful, swanlike curve of Cellini makes a stunning impression. Contemporary, and stylish, it is an elegant highlight that speaks of taste and refinement




### A CELLINI

#### CEL-47167B

Centre Hole Basin Mixer without Pop-up Waste System with 450mm Long Braided Hoses flow rate: 7.22 I/min\*






#### CEL-47189

flow rate: 7.09 I/min\*

3-Hole Basin Mixer without Popup Waste System flow rate: 7.27 I/min\*
Also available CEL-47191(3-Hole Basin Mixer with Popup Waste System)








#### CEL-47433

Two Concealed Stop Cock with Basin Spout (Composite One Piece Body) flow rate: 7.75 I/min\*


#### CEL-47427

4-Way Concealed Divertor Set with Hot & Cold Concealed Stop Cock with Built-in Non-return Valves (Composite One Piece Body) flow rate: 43.19 I/min\*











#### CEL-47273UPR

Wall mixer with Provision for Overhead Shower with 115mm Long Bend Pipe on Upper Side and Wall Flanges


flow rate: 44.61 I/min\*

Also Available

#### CEL-47217


Wall Mixer with Telephone Shower Arrangement, Connecting Legs & Wall Flanges but without Crutch & Telephone Shower





#### CEL-47277

4-Hole Bath Tub Mixer with 2 Control Cocks, Spout & Hand Shower with 8mm dia and 1.5M Flexible Tube flow rate: 18.78 I/min\*






#### CEL-47001

Pillar Cock with Base Flange flow rate: 6.96 I/min\*


#### CEL-47021

Pillar Cock with 170mm Extension Body and Base Flange flow rate: 6.97 I/min\*












CEL-47037

Bib Cock with Wall Flange flow rate: 6.99 I/min\*




2 Way Bib Cock with Wall Flang flow rate: 6.97 I/min\*











#### CEL-47053

Angular Stop Cock with Wall Flange flow rate: 47.00 I/min\*




Concealed Stop Cock with Adjustable Wall Flange size 15mm flow rate: 47.00 I/min\*


Also available CEL-47089

Concealed Stop Cock with Adjustable Wall Flange size 20mm flow rate: 47.00 I/min\*









\*at 3 bar pressure

# Cellini | Ceramic

The organic, almost liquid flow of the design makes Cellini a piece of art. Stately, and graceful, its design is almost poetic in its simplicity.






#### CLS-WHT-47801

Wall Hung Basin with Fixing Accessories Size:  $650 \times 480 \times 190$  mm






#### CLS-WHT-47951

Wall Hung WC with UF soft close seat cover, Hinges, Accessories Set, Size:  $350 \times 510 \times 370$  mm





• Dimensions in:-  $L \times W \times H$ 

## KAVALIER | Faucets

Sculpted lines, and a progressive design sensibility ensure that the Kavalier is shaped to make an impression.





#### KAV-49011B


Single lever Basin Mixer without Popup waste system with 450mm Long Braided hoses flow rate: 12.64 I/min\*

Also available

#### KAV-49051B

Single lever Basin Mixer with Popup waste system with 450mm Long Braided hoses






#### KAV-49009B

Single Lever Tall Boy Basin Mixer with 180mm Extension Body Fixed Spout without Popup waste system with 600 mm long Braided hoses flow rate: 12.89 I/min\*








#### KAV-49233N

Single Lever Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body)


#### KAV-49065

Single Lever Concealed Divertor for Bath & Shower Mixer with Button Assembly on Upper Side flow rate: 29.11 I/min\*












#### KAV-49119

Single Lever Wall Mixer with provision for Hand Shower but without Hand Shower flow rate: 12.55 I/min\*




Kavalier Concealed Shower Mixer with Thermostatic Control Cartridge












#### KAV-49671


Kavalier Concealed Bath & Shower Mixer with Thermostatic Control Cartridge

#### KAV-49277

Single Lever 3-Hole Bath Tub Mounted Mixer with Hand Shower, Spout & Divertor










#### KAV-49213B

Single Lever 1-Hole Bidet Mixer with Popup Waste System with 375mm Long Braided Hoses flow rate: 6.83 l/min\*




Pillar Cock with Base Flange flow rate: 13.56 I/min\*












#### KAV-49021

Pillar Cock with 200mm extension body and Base Flange flow rate: 13.18 I/min\*





4 way Concealed Divertor Set with Hot & Cold Concealed Stop Cocks with built-in non return valve (Composite One Piece Body)















KAV-49037

Bib Cock with Wall Flange



flow rate: 14.22 I/min\*








2 Way Bib Cock with Wall Flange flow rate: 14.23 I/min\*







#### KAV-49053


Angular Stop Cock with Wall Flange flow rate: 47.00 I/min\*

KAV-49083 Concealed Stop Cock with Adjustable Wall Flange size 15mm flow rate: 47.00 I/min\*


Also available

KAV-49089 Concealed Stop Cock with Adjustable Wall Flange size 20mm









## KAVALIER J | Faucets

The sculpted beauty of Kavelier seldom fails to impress. Its slim, clean lines are a study in minimalism, and the form is designed to please. Its oval design is perfectly offset by a futuristic joystick lever.





KAV-49011JB

Joystick Basin Mixer without Popup Waste System with 450mm Long Braided Hoses flow rate: 12.64 I/min\*


Also available

KAV-49051JB Joystick Basin Mixer with Popup Waste System With 450mm Long Braided Hoses




Joystick Tall Boy with 180mm Extension Body, Fixed Spout & 600mm Long Braided Hoses flow rate: 12.89 I/min\*












#### KAV-49233JN

Joystick Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body) flow rate: 14.17 I/min\*




Joystick Concealed Divertor for Bath & Shower Mixer with Button Assembly on Upper Side flow rate: 26.91 I/min\*












#### KAV-49119J

Joystick Wall Mixer with Provision of Hand Shower but without Hand Shower flow rate: 12.55 I/min\*




Joystick 3-Hole Bath Tub Mounted Mixer with Hand Shower, Spout & Divertor












#### KAV-49001J

Joystick Pillar Cock flow rate: 11.85 I/min\*


#### KAV-49021J

Joystick Pillar Cock with 180mm Extension Body flow rate: 12.18 I/min\*











#### KAV-49037J


Joystick Bib Cock with Wall Flange flow rate: 10.95 I/min\*




KAV-49041J Joystick 2 Way Bib Cock with Wall Flange flow rate: 10.92 I/min\*









# KAVALIER J | Ceramics

Complex curves weave soft, organic forms that coordinate perfectly with the progressive design sensibility of Kavalier faucets too.






KAS-WHT-49931

Table Top Basin, Size:  $710 \times 460 \times 180$ mm


#### KAS-WHT-49901

Table Top Basin, Size: 710 × 460 × 180 mm












#### KAS-WHT-49951

Wall Hung WC with UF soft close seat cover, Hinges , Accessories set, Size:  $410 \times 550 \times 370 \text{ mm}$ 





# XQUISITE | Faucets

Parallel curves, and the modern, geometric design of Xquisite make it, well, exquisite. The strong, straight lines are borken by the soft curving shapes, and this contrast creates a singular, appealing form.





#### XQU-43011B

Single Lever Basin Mixer without Popup Waste System with 450mm Long Braided Hoses. flow rate: 6.29 l/min\*


Also available

XQU-43051B with Popup Waste System


#### XQU-43009B

Single Lever Tall Boy with 140mm Extension Body Fixed Spout without Popup Waste System with 600mm Long Braided Hoses flow rate: 6.23 l/min\*









### A XQUISITE


#### XQU-43027

Free-standing Single Lever Basin Mixer flow rate: 7.16 I/min\*




Single Lever Concealed Divertor for Bath & Shower Mixer with Button Assembly on Upper Side












#### XQU-43079

Single Lever High Flow Concealed Divertor for Bath & Shower flow rate: 50.62 I/min\*






#### XQU-43119

Single Lever Wall Mixer with Provision for Hand Shower but without Hand Shower flow rate: 19.50 I/min\*








#### XQU-43159

Single Lever Exposed Shower Mixer with Shower Pipe but without Overhead Shower




Single Lever 3 Hole Bath Tub mixer Consisting of Spout, Hand Shower & Divertor flow rate: 18.98 I/min\*











#### XQU-43121


Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower flow rate: 16.30 I/min\*

#### XQU-43213B

Single Lever 1-Hole Bidet Mixer with Popup Waste System with 375mm Long Braided Hoses flow rate: 6.30 l/min\*







### A XQUISITE


#### XQU-43001

Pillar Cock with Base Flange flow rate: 6.73 l/min\*


#### XQU-43021

Pillar Cock with 170mm Extension Body & Base Flange flow rate: 6.85 l/min\*












XQU-43037

Bib Cock with Wall Flange flow rate: 6.97 I/min\*




2 Way Bib Cock with Wall Flange flow rate: 7.04 l/min\*












#### XQU-43053

Angular Stop Cock with Wall Flange flow rate: 47.00 l/min\*





\*at 3 bar pressure 233

# XQUISITE | Ceramics

The delicate curvature, and soft edges of Xquisite promise luxury, and fine living. Subtlety, and fine detail create an atmosphere of indulgence.






#### XQS-WHT-43951

Wall Hung - WC with UF soft close seat cover, Hinges, Accessories Set, Size:  $360 \times 530 \times 350$  mm


#### XQS-WHT-43901

Table Top Basin, Size: 630 × 460 × 120 mm












#### XQS-WHT-43801

Wall Hung Basin with Fixing Accessories Size: 700 × 480 × 185 mm





# SIGNAC | FAUCETS

Tall, organic, and stately, Signac is a reed-like faucet that is inspired by nature. Minimal, and modern, it is a study in perfect curves, and polished detail.





SIG-41011B


Single Lever Basin Mixer without Popup Waste System with 450mm Long Braided Hoses

flow rate: 6.37 l/min\* Also available

SIG-41051B with Popup Waste System


flow rate: 6.30 l/min\*





#### SIG-41009B

Single Lever Tall Boy with 140mm Extension Body, Fixed Spout without Popup Waste System with 600mm Long Braided Hoses flow rate: 6.25 l/min\*





#### SIG-41027

Floor Mounted Single Lever Basin Mixer flow rate: 7.23 I/min\*


#### SIG-41233

Single Lever Concealed Basin Mixer (Wall Mounted) with Spout (Composite One Piece Body)

flow rate: 8.06 l/min\*










Single Lever Concealed Divertor for Bath & Shower Mixer with Button

Assembly on Upper Side flow rate: 30.97 I/min\*




Single Lever High Flow Concealed Divertor for Bath & Shower











#### SIG-41139


Single Lever Concealed Shower Mixer for Connection to Overhead Shower flow rate: 27.90 I/min\*




Single Lever Wall Mixer with Provision for Hand Shower but without Hand Shower flow rate: 12.68 I/min\*












Single Lever Exposed Shower Mixer with Shower Pipe but without Overhead Shower


#### SIG-41277

Single Lever 3 Hole Bathtub Mixer Consisting of Spout,

Hand shower & Divertor flow rate: 18.71 I/min\*








### A SIGNAC

#### SIG-41121


Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower flow rate: 15.32 I/min\*

#### SIG-41213B

Single Lever 1-Hole Bidet Mixer with Popup waste system with 375mm Long Braided Hoses flow rate: 6.43 l/min\*










Pillar Cock with Base Flange flow rate: 7.05 I/min\*






#### SIG-41021

Pillar Cock with 170mm Extension Body & Base Flange flow rate: 7.02 I/min\*








#### SIG-41037

Bib Cock with Wall Flange flow rate: 6.71 I/min\*




2 Way Bib Cock with Wall Flange flow rate: 6.82 l/min\*












Angular Stop Cock with Wall Flange flow rate: 47.00 I/min\*





#### \*at 3 bar pressure

#### SIG-41083

Concealed Stop Cock with Adjustable Wall Flange size 15mm flow rate: 47.00 l/min\*


Also available

#### SIG-41089

Concealed Stop Cock with Adjustable Wall Flange size 20mm

flow rate: 47.00 l/min\*





# SIGNAC | CERAMICS

A design to be treasured, Signac is a blend of soft curves, and sharp detail. The sculpted oval shape is made to be admired.





SGS-WHT-41803


Wall Hung Basin with Fixing Accessories Size: 800 x 500 x 160 mm


#### SGS-WHT-41805

Wall Hung Basin with Fixing Accessories Size:  $1000 \times 520 \times 160$  mm












#### SGS-WHT-41953

Rimless Wall hung WC with UF soft close slim seat cover, Hinges, Accessories Set Size :  $370 \times 560 \times 355$  mm


#### SGS-WHT-41955

Rimless Back to Wall WC with UF soft close slim seat cover, Hinges, Accessories Set Size :  $370 \times 560 \times 420$ mm












#### SGS-WHT-41151


Wall Hung Bidet with Fixing Accessories Size:  $370 \times 560 \times 340 \text{ mm}$ 





## Bathtub Spouts

Dramatic lines, and a clean finish make these a sophisticated, but refreshing addition to a luxurious, elegant bath.




#### SPT-41429

Signac Bath Tub Spout with Wall Flange flow rate: 27.11 I/min\*


#### SPT-41463

Signac Bath Tub Spout with Button Attachment for Hand Shower with Wall Flange flow rate: 11.20 I/min\*









### A BATHTUB SPOUTS


#### SPT-49429

Kavalier Bath Tub Spout with Wall Flange flow rate: 32.97 I/min\*




Kavalier Bath Tub Spout with Button Attachment for Hand Shower with Wall Flange flow rate: 20.85 l/min\*










#### SPT-47429

Cellini Bath Tub Spout with Wall Flange flow rate: 47.00 I/min\*


#### SPT-47463

Cellini Bath Tub Spout with Button Attachment for Hand Shower with Wall Flange flow rate: 38.88 I/min\*









### A BATHTUB SPOUTS


#### SPT-45429

Le blanc Bath Tub Spout with Wall Flange flow rate: 16.55 I/min\*




Le blanc Bath Tub Spout with Button attachment for Hand Shower with Wall Flange. flow rate:  $15.24 \text{ l/min}^*$ 









#### SPT-53429


Angelo Bath Tub Spout with Wall Flange flow rate: 16.65 I/min\*


#### SPT-53463

Angelo Bath Tub Spout with Button Attachment for Hand Shower with Wall Flange flow rate: 10.11 I/min\*









### A BATHTUB SPOUTS

#### SPT-57429


Travina Bath Tub Spout with Wall Flange


#### SPT-57463

Travina Bath Tub Spout with Button Attachment for Hand Shower with Wall Flange










#### SPT-CHR-73429

Tiaara Bath Spout with Wall Flange


#### SPT-CHR-73463

Tiaara Bath Spout with Diverter & Wall Flange










### A BATHTUB SPOUTS

#### SPT-63429

Fleur Bath Tub Spout with Wall Flange





### ACCESSORIES



## QUADRA

Strong lines, and a bold finish ensure that Quadra is minimalist, yet hugely appealing.




### A ACCESSORIES - QUADRA

QUA-61731


Soap Dish Holder

QUA-61741 Tumbler Holder










### A ACCESSORIES - QUADRA


QUA-61723 Towel Holder

QUA-61775 Stainless Steel Shelf









### A ACCESSORIES - QUADRA


QUA-61711

Single Towel Rail 600mm Long


QUA-61713

Double Towel Rail 600mm Long









### A ACCESSORIES - QUADRA


QUA-61781

Towel Rack 600mm Long with Lower Hanger


QUA-61761

Double Coat Hook









### A ACCESSORIES - QUADRA


QUA-61755

Spare Toilet Roll Holder




QUA-61753 Toilet Roll Holder with Flap










### A ACCESSORIES - QUADRA

QUA-61743

W.C. Brush Holder





## ONYX

Elegantly rounded, Onyx has soft curves that exude sophistication.




### A ACCESSORIES - ONYX

ONY-59731


Soap Dish Holder

ONY-59741 Tumbler Holder










### A ACCESSORIES - ONYX

ONY-59723

Towel Holder


ONY-59775 Stainless Steel Shelf











### A ACCESSORIES - ONYX

ONY-59711


Single Towel Rail 600mm Long


ONY-59713

Double Towel Rail 600mm Long









### A ACCESSORIES - ONYX

ONY-59781


Towel Rack 600mm Long with Lower Hanger


ONY-59791

Robe Hook










### A ACCESSORIES - ONYX

ONY-59757 Toilet Roll Holder with Cover


ONY-59743

W.C. Brush Holder









## DUOS

Classic style and pleasing shapes in a range of accessories that deliver dual levels of functionality.



## A ACCESSORIES - DUOS

DUO-62741


Tumbler with Towel Holder


DUO-62731

Soap Dish with Towel Holder









## A ACCESSORIES - DUOS


DUO-62711

Single Towel Rail with Twin Swivel Towel Holders


DUO-62743

Toilet Brush Holder with Shelf









## A ACCESSORIES - DUOS


DUO-62753

Toilet Roll Holder with Flap & Shelf


DUO-62781

Towel Rack with Twin Swivel Towel Holders









## A ACCESSORIES - DUOS

DUO-62771


Glass Shelf with Twin Swivel Towel Holders


DUO-62761

Double Swivel Coat Hook









# Artize Designer

A stunning design aesthetic, and contrasting finishes make Artize Designer a focal point of the room. Lush curves, and a refreshing colour palette add to its charm.



## A ARTIZE DESIGNER


ADS-WBF-64901 Table Top Basin,

Size:  $400 \times 400 \times 150$  mm


#### ADS-MBT-64913

Table Top Basin, Size:  $635 \times 455 \times 150$  mm









## A ARTIZE DESIGNER


#### ADS-BLW-64915

Table Top Basin, Size: 710 × 460 × 180 mm


#### ADS-WHT-64917

Table Top Basin, Size:  $720 \times 370 \times 130$  mm










• Dimensions In:- L X W X H

## A ARTIZE DESIGNER

#### ADS-WHT-64801

Wall Hung Basin with Fixing Accessories Size:  $700 \times 475 \times 350$  mm






#### ADS-WHT-64803

Wall Hung Basin With Fixing Accessories Size:  $750 \times 450 \times 190$  mm





## A ARTIZE DESIGNER


#### ADS-BLW-64401

Floor Standing Basin with Fixing Accessories Size:  $510 \times 425 \times 850$  mm


#### ADS-WHT-64905

Thin Rim Table Top Basin, Shape-Round Size:  $500 \times 500 \times 145$  mm












#### ADS-WHT-64911

Thin Rim Table Top Basin, Shape - Oval, Size: 600 × 420 × 160 mm




Thin Rim Table Top Basin, Shape - Rectangular Size:  $600 \times 420 \times 160 \text{ mm}$ 









## Wellness

Harmony of body and mind. Wellness is a positive approch to living that begins with a conscious decision to shape a healthy lifestyle, The Artize range of Wellness products rejuvenates and relaxes your body. Aiming to present a new style of bathroom design, Artize's Wellness products products promise an unparalleled bathing experience with the highest quality standards that will leave you tingling fresh.






## A QUADRO BATHTUB

#### ABT-WHT-ARTIZE190

Built In Bathtub, Size: 1900 × 900mm • Depth: 500mm • Material: Acrylic





## A QUADRO WHIRLPOOL

#### AWL-WHT-SUPR190X90

Size-1900 x 900mm, • Superior Whirlpool

- Depth-500mm, Material-Acrylic
- Reinforcement-PU Slim and Flat Water jets-6
- Air jets-16 Back jets-4 Slim and Flat Feet jets-2
- Pump water-1.4HP Air Blower-1.13HP

- Chromotherapy Heater-1.5kw
- Headrest Overflow cum filler-Automatic


SAFETY: 3 Tier Testing • Steel Frame,

SANITATION: Food Grade Pipe

• Level sensor • Self drainage system, CONTROLLER: Remote

WARRANTY: Body-5 years • Electrical-2 years • Jets-5 years





## A QUADRO WOODEN PANELS

AWA-NAW-QDRLSHLV: Artize wooden panels I shape (2000mm x 935mm) with shelves for quadro whirlpool and bathtub AWA-NAW-QDRSET4S: Artize wooden panels set with strip and shelf (2000mm x 1000mm) for quadro whirlpool and bathtub — all four sides



#### ENCASE YOUR QUADRO

#### IN THE TIMELESS ELEGANCE OF WOOD

- One of the hardest wood species
- Natural wood with high mechanical properties for stability
- Light weight
- Less porous
- Durable & insulating the whirlpool to maintain the water temperature for longer duration
- Treated with special chemical for water resistant




#### ASU-NAW-9060150

#### Size: 1500 X 1200 X 2100

- Wood finish Cedar
- Infrared heater with carbon reflector 2.12 KW
- Tempered glass door
- Digital control

- LED Light outside Chromotherapy light
- Radio USB connector,
- MP3 player connector
- Lumbar support backrest 2 Pcs
- Thermometer and hygrometer
- Feather touch control panel








#### ASU-NAW-1102A220

#### Size: 2200 X 2000 X 2100

- Wood finish Cedar
- Infrared heater, Power- 3.6 KW
- Stove heater, Power- 9.0 KW
- Tempered glass door
- Digital control



- Light with cover Chromotherapy light
- Radio USB connector MP3 player connector
- Lumbar support backrest 2 Pcs
- Thermometer and hygrometer + Sandglass
- Feather touch control panel
- Sauna Rock
- Ladle & Barrel



## A STEAM POWER

Steam Generator

ASG-WHT-PIUVAP5003 - 3 Kw


ASG-WHT-PIUVAP5004 - 4.5 Kw

ASG-WHT-PIUVAP5005 - 6 Kw

ASG-WHT-PIUVAP5006 - 8 Kw

- Aroma nozzle dispenser
- Installation: Roof mounted or outside
- Auto water inlet
- Auto drain
- Auto power off






## A STEAM POWER

Touch Display
ASG-WHT-PIUVAP2904(White)
ASG-BLK-PIUVAP2804(Black)
ASG-CHR-PIUVAP2905 Metal base for touch display installation

- Feather touch digital control
- Radio/Aux
- Chromotherapy light
- Wall mounted
- Touch navigation







### A SERIE-STEAM CABIN

ASG-GRY-BOXJAQ1202 – PIETRA GREY ASG-WHT-BOXJAQ1201 – WHITE ASG-BRN-BOXJAQ1203 – OSSIDO BROWN Size: | 200 × | 2200 × 2220

- Steam 2.7 KW Ceiling mounted overhead shower Front and side integrated body jets
- Cascade flow Toughened glass ACP body Aromatherapy nozzle dispenser
- Digital touch control Aromatherapy Chromotherapy light Shower tray
- Illuminated toiletries rack Thermostatic diverter Radio / Aux
- Descaling point Tempreture control Shower tray







Available in three colors: White Pietra Gray Ossido Brown All dimensions are in "MM"

## Download the Artize app

Discover complete bathroom solutions, anytime, anywhere!

- Explore the complete range of Artize products
- Stay updated on new arrivals
- Locate your nearest dealer
- 'My Projects' page for quotations and more
- Service support, just one-click away


Android







To learn more about masterpieces from Artize, download the Artize App or visit artize.com





Jaquar Group is now into the 60th year of its existence. Year 2020 will mark 60 years of a journey of a thousand miles that began with a single step, has become an epic saga of our growth, togetherness and mutual trust. This year, we're celebrating 60 years of not just our existence, but of our manufacturing excellence. As the logo of '60 years of manufacturing excellence' signifies, the 3 key aspects for us are Customer trust, Cutting edge technology, and our Stakeholders in the centre. The golden colour of figure 60 defines purity and trust the group has earned over the years. The beam of light shining through the gold colour is the lighting division of Jaquar Group. We're perhaps unique in offering both Complete Bathroom Solutions as well Complete LED Lighting Solutions.



Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.



A tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and expertise combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize-together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



Jaquar has an ongoing policy of design, development and thus reserves the right to modify specifications and prices without any prior notice.

313

|312





# Artize

